

Fig. 1




Fig. 2




Fig. 3




Fig. 4

Animation




Fig. 5




Fig. 6A

50 Input Screen

- Location
Tokyo
- Type
City Hotel
- Price Range
10,000-12,000

51

```
graph TD; A[50 Input Screen] -- "51" --> B[52 Search Result Screen];
```

Fig. 6B

52 Search Result Screen

Result

Hotel A	× × × × yen ...
Hotel B	× × × × yen ...
Hotel C	× × × × yen ...

OK Nego

53 54

```
graph TD; B[52 Search Result Screen] -- "53" --> C[55 Search Result Screen]; B -- "54" --> C;
```

Fig. 6C

55 Search Result Screen

Result

Hotel C	△△△△ yen ...
Hotel D	△△△△ yen ...
Hotel E	△△△△ yen ...

OK Nego

56 57

```
graph TD; C[55 Search Result Screen] -- "56" --> D[57 Nego]; C -- "57" --> D;
```

Fig. 7A




Fig. 7B




Fig. 7C




Fig. 7D




Fig. 8

		Discount Rate (%)		Handling Fee (%)	
Regular Price	To Customer	Server Setting	To Hotel	To Customer	
	—	—	M%	—	
Nego-Price A	P %	P %~	S %	V %	
Nego-Price B	Q %	Q %~	T %	W %	
Nego-Price C	R %	R %	U %	X %	

Fig. 9




Fig. 10




Fig. 11 from S101~S105




Fig. 12

